



EXTRUSORA DE ALUMINIO

EXAL

CATÁLOGO DE PERFILES
PROFILES CATALOG

2026

WWW.EXAL.COM.CO



9 años de experiencia en extrusión

Somos especialistas en la extrusión de aluminio para perfiles industriales arquitectónicos y de construcción.

Leading manufacturer of aluminum profiles with over 7 years of experience in the extrusion of profiles for the commercial and residential construction industries.

Más de 25 años de trayectoria en el mercado del aluminio

Empresa Colombiana ubicada en Barranquilla, Atlántico, con más de 9 años de experiencia en la extrusión de perfiles industriales, dedicada a la fabricación de perfiles de aluminio arquitectónicos para la construcción, la decoración y la

Family owned and operated colombian company located in Barranquilla, Colombia, with over 9 years of experience in the aluminum extrusion business, dedicated to the manufacture of architectural aluminum profiles for construction, decoration and industry.




Fabricación de Tochos
Billet Manufacturing



Extrusión de Perfiles
Profile Extrusions



Acabado en Pintura
Powder Coating



Acabado Anodizado
Anodizing



EN EXAL APORTAMOS A UNA ECONOMÍA CIRCULAR

At EXAL we contribute to a circular economy



Contamos con una línea de producción sostenible.

We have a sustainable production line.




El material fabricado en nuestra planta de producción cumple con los siguientes rangos de propiedades mecánicas y composición química, las cuales se encuentran dentro de las tolerancias establecidas por la norma técnica **ASTM B221** "Standard Specification for Aluminum - Alloy Extruded Bars, Rods, Wire, Shapes and Tubes (Metric)"

The material manufactured in our production plant complies with the ranges of mechanical properties and chemical composition, which are within the tolerances established by the technical standard ASTM B221 "Standard Specification for Aluminum - Alloy Extruded Bars, Rods, Wire, Shapes and Tubes (Metric)"

Sistema 5020


5020 System

Unidad Métrica: Milímetros y Pulgadas
Metric Unit: Millimeters and Inches




CABEZAL *Head*

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA144	0.277	0.186	226.02	8.89




TRASLAPE *Stile*

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA192	0.185	0.124	150.54	5.92




HOJA CENTRAL *Interlocker*

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA147	0.252	0.169	200.81	7.90




HOJA CENTRAL REDONDA *Rounded Interlocker*

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXAR147	0.260	0.174	193.31	7.61




TRASLAPE REFORZADO *Stile Reinforced*

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA258	0.419	0.282	247.59	9.74




JAMBA *Jamb*

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA193	0.279	0.187	222.48	8.77




SILLAR *Sill*

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA194	0.300	0.201	244	9.60



HOJA SUPERIOR/INFERIOR *Top/Bottom Rail*

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA349	0.293	0.196	221.35	8.71




SILLAR CON ALFAJÍA *Sill with a Drip*

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA581	0.450	0.302	351.61	13.84

Sistema 744


744 System

Unidad Métrica: Milímetros y Pulgadas
Metric Unit: Millimeters and Inches




SILLAR Sill

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA387	0.359	0.241	237.11	9.33




HOJA LATERAL Side Rail

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA388	0.390	0.262	263.2	10.36




HOJA LATERAL REDONDA Rounded Side Rail

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXAR388	0.377	0.253	253.25	9.97




HOJA SUPERIOR Top Rail

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA389	0.252	0.169	200.9	7.90




HOJA INFERIOR Bottom Rail

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA390	0.348	0.176	275.31	10.83




HOJA CENTRAL Interlocker

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA391	0.415	0.278	274.85	10.82




HOJA CENTRAL REDONDA Rounded Interlocker

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXAR391	0.407	0.273	269.6	10.61




CABEZAL Head

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA392	0.311	0.208	254.53	10.02



JAMBA Jamb

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA393	0.314	0.210	252.83	9.95




SILLAR CON ALFAJÍA Sill with a Drip

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA394	0.602	0.404	358	14.09

Sistema 8025


8025 System

Unidad Métrica: Milímetros y Pulgadas
Metric Unit: Millimeters and Inches




SILLAR Sill

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA150	0.539	0.362	300.11	11.81




CABEZAL Head

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA151	0.485	0.325	324.95	12.79




JAMBA Jamb

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA841	0.518	0.348	327.29	12.88




HOJA SUPERIOR Top Rail

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA156	0.381	0.256	283.69	11.16




HOJA INFERIOR Bottom Rail

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA157	0.604	0.405	381	15




HOJA LATERAL Side Rail

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA190	0.548	0.368	330.96	13.02




HOJA CENTRAL Interlocker

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA191	0.562	0.377	339.1	13.35



HOJA CENTRAL REDONDA Rounded Interlocker

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA631	0.598	0.401	365.34	14.38




HOJA LATERAL REDONDA Rounded Side Rail

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA633	0.530	0.356	320.88	12.63

Sistema 7038


7038 System

Unidad Métrica: Milímetros y Pulgadas
Metric Unit: Millimeters and Inches




SILLAR Sill

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA775	1.108	0.744	353.33	13.91




CABEZAL Head

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA700	0.792	0.532	434.23	17.09




JAMBA Jamb

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA702	0.826	0.555	412.72	16.24




HOJA SUPERIOR/INFERIOR Top/Bottom Rail

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA703	0.875	0.587	543.2	21.38




HOJA LATERAL Side Rail

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA704	0.940	0.631	474.6	18.68




HOJA LATERAL REDONDA Rounded Side Rail

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXAR704	0.996	0.669	468.12	18.42




HOJA CENTRAL Interlocker

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA705	1.060	0.712	543.7	21.40



HOJA CENTRAL REDONDA Rounded Interlocker

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXAR705	1.128	0.757	536.41	21.11




ADAPTADOR Adapter

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA840	0.526	0.353	280.6	11.04

Sistema 3831


3831 System

Unidad Métrica: Milímetros y Pulgadas
Metric Unit: Millimeters and Inches




SILLAR CON ALFAJÍA Sill with a Drip

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA616	0.450	0.302	330.7	13.02




MARCO SUPERIOR/INFERIOR Top/Bottom Frame

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA173	0.268	0.180	196.59	7.74




MARCO LATERAL Side Frame

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA174	0.316	0.212	225.8	8.89




ADAPTADOR Adapter

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA175	0.222	0.149	159.76	6.28




MARCO NAVE Frame

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA176	0.432	0.290	312.26	12.29




PISAVIDRIO PLANO Flat Glazing

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA177	0.169	0.113	119.71	4.71




DIVISOR Divider

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA292	0.522	0.350	376.66	14.82




ADAPTADOR INSERTO Insert Adapter

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA1664	0.194	0.130	142.56	5.61



ESQUINERO Cornerback

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA416	0.395	0.265	287.8	11.33




PISAVIDRIO CURVO Curved Glazing

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA635	0.175	0.117	126.9	4.99

Serie 45


45 Series

Unidad Métrica: Milímetros y Pulgadas
Metric Unit: Millimeters and Inches




VERTICAL Vertical Support

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA688	1.609	1.081	647.20	25.48



PISAVIDRIO Glass Holder

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA288	0.533	0.358	241.70	9.51



TAPA PISAVIDRIO Glass Holder Cover

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA989	0.240	0.161	135.47	5.33


Perfiles Sólidos

Non-Hollow Profiles

Unidad Métrica: Milímetros y Pulgadas
Metric Unit: Millimeters and Inches



Platinas Plate




PLATINA DE 3/4" 3/4" Plate

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
P012	0.162	0.108	43.48	1.71




PLATINA DE 1" 1" Plate

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
P018	0.216	0.145	55.14	2.17




PLATINA DE 1" x 1/4" 1" x 1/4" Plate

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
P020	0.437	0.294	63.07	2.48




PLATINA DE 2" x 1/8" 2" x 1/8" Plate

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
P040	0.437	0.294	107.52	4.23




PLATINA DE 3" x 1/8" 3" x 1/8" Plate

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
P051	0.655	0.440	158.32	6.23




PLATINA DE 2" x 1/4" 2" x 1/4" Plate

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
P041	0.874	0.587	113.87	4.48



PLATINA DE 4" x 1/4" 4" x 1/4" Plate

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
P060	1.748	1.175	215.47	8.48




PLATINA DE 4" x 1/8" 4" x 1/8" Plate

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
P061	0.874	0.587	209.12	8.23



PLATINA DE 105mm x 7.8mm 105mm x 7.8mm Plate

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
PLA001	2.219	1.491	224.8	8.85



PLATINA DE 6" x 1/4" 6" x 1/4" Plate


REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
PLA002	2.622	1.762	317.07	12.48

Barras Cuadradas

Riel Solar


Square Bars

Solar Rail




BARRA DE 1" 1" Bar

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
C009	1.748	1.17	101.1	3.98



RIEL SOLAR Solar Railing

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
SOL001	0.525	0.352	187.69	7.38




RIEL SOLAR Solar Railing

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
SOL002	0.594	0.399	266.32	10.48


Barras Redondas

Round Bars




BARRA DE 2" 2" Bar

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
BAR001	5.657	3.801	159.59	6.28



BARRA DE 1 5/8" 1 5/8" Bar

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
BAR002	3.735	2.509	129.67	5.10




BARRA DE 1 3/4" 1 3/4" Bar

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
BAR003	4.332	2.910	139.64	5.49


Canales

Channels




CANAL DE 1-1/2" x 3/4" 1-1/2" x 3/4" Channel

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
ESC001	0.253	0.170	149.28	5.87



CANAL 38mm x 30mm 38mm x 30mm Channel


REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA1870	0.336	0.225	192.2	7.56



CANAL 37.4mm x 18.6mm 37.4mm x 18.6mm Channel

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA1872	0.235	0.157	145.8	5.74

Canales con Aleta Channels with fin



CANAL 2" x 1" 2" x 1" Channel

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
U066	0.293	0.196	140.1	5.51


CANAL 3" x 1" 3" x 1" Channel

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
U078	0.361	0.242	295.64	11.64

CANAL 3" x 1" ESPECIAL 3" x 1" Channel


REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
U078E	0.429	0.288	314.62	12.38

Ángulos Angles




ÁNGULO DE 3/4" 3/4" Angle

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
A006	0.275	0.184	74.9	2.94




ÁNGULO DE 1" 1" Angle

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
A009	0.160	0.107	101.02	3.97




ÁNGULO DE 1" 1" Angle

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
A011	0.370	0.248	99.03	3.89



ÁNGULO DE 1-1/4" 1-1/4" Angle


REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
A015	0.518	0.348	127	5



ÁNGULO DE 1-1/2" 1-1/2" Angle




REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
A019	0.574	0.385	151	5.94

Tees Tees



TEE CIELO RASO Low Ceiling Tee




REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
D028	0.072	0.048	76.54	3.01



Perfiles Tubulares

Hollow Profiles

Cuadrados Squared Hollow Tubes




REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
T115	0.176	0.118	144.1	5.67

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
T215	0.401	0.269	295.31	11.62


REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
T216	0.235	0.157	192.11	7.56

Redondos *Rounded Hollow Tubes*




TUBO 5/16" 5/16" Hollow Tube

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
TC002	0.054	0.036	44.23	1.74




TUBO 1/2" 1/2" Hollow Tube

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
TC008	0.106	0.071	73.07	2.87




TUBO 5/8" 5/8" Hollow Tube

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
TC012	0.150	0.101	92.21	3.63




TUBO 3/4" 3/4" Hollow Tube

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
TC013	0.168	0.113	112.78	4.44




TUBO 7/8" 7/8" Hollow Tube

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
TC017	0.181	0.121	133.3	5.24




TUBO 1-1/4" 1-1/4" Hollow Tube

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
TC027	0.342	0.229	191.2	7.52



TUBO 1-1/4" 1-1/4" Hollow Tube


REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
TC028	0.441	0.296	163.36	6.43



TUBO 1-1/2" 1-1/2" Hollow Tube


REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
TC031	0.407	0.273	231.2	9.10

Rectangulares *Rectangular Hollow Tubes*




TUBO 3" x 1" 3" x 1" Hollow Tube

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
T094	0.513	0.345	398.1	15.67




TUBO 1-1/2" x 3/4" 1-1/2" x 3/4" Hollow Tube

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
T097	0.269	0.180	220	8.66




TUBO 2" x 1" 2" x 1" Hollow Tube

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
T117	0.357	0.239	292.11	11.50




TUBO 4" x 1-3/4" 4" x 1-3/4" Hollow Tube

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
T101	1.163	0.781	571.52	22.50




TUBO 3" x 1-1/2" 3" x 1-1/2" Hollow Tube

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
T103	0.668	0.448	447.71	17.62




BOQUILLERA 70mm x 30mm 70mm x 30mm Hollow Tube

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
T167	0.505	0.339	391.28	15.40



BOQUILLERA 70mm x 20mm 70mm x 20mm Hollow Tube


REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
T168	0.453	0.304	351.28	13.82



TUBO 2" x 1-1/2" 2" x 1-1/2" Hollow Tube


REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
TA007	0.485	0.326	347.60	13.68

Con Aleta *Hollow Tubes with Fins*



TUBO 1" CON ALETA 1" Hollow Tube with Fin

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
T077	0.270	0.181	219.96	8.66



TUBO 2" x 1" CON ALETA DESCENTRADA
2" x 1" Hollow Tube with Offset Fin


REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
TA037	0.386	0.259	315.1	12.40



TUBO 3" x 1" CON ALETA 3" x 1" Hollow Tube with Fin


REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
T095	0.545	0.366	422.72	16.64

Con Doble Aleta *Hollow Tubes with Double Fins*



TUBO 1" CON DOBLE ALETA
1" Hollow Tube with double Fin


REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
T078	0.301	0.202	245.17	9.65



TUBO 3" x 1" CON DOBLE ALETA 3" x 1" Hollow Tube with double Fin


REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
T096	0.578	0.388	447.6	17.62

Tubolites Door Profile



TUBO 2" x 1" CON DOBLE ALETA DESCENTRADA
2" x 1" Hollow Tube with Double Offset Fin


REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
TA100	0.594	0.399	339.38	13.36



TUBOLITE Tubulite


REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
TA005	0.573	0.385	383.24	15.08

Con Adaptador Hollow Tubes with Adapters




TUBO 1-1/2" CON ADAPTADOR
1-1/2" Hollow tube with Adapter

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA1101	0.514	0.345	373.99	14.72



TUBO 3" x 1" CON ADAPTADOR
3" x 1" Hollow tube with Adapter

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA1102	0.775	0.520	566.79	22.31



TUBO 1-1/2" CON DOBLE ADAPTADOR
1-1/2" Hollow tube with Double Adapter


REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA1103	0.627	0.421	453.1	17.83

Perfiles de Acabados Interior

Interior Finishes Profiles

Wing

Wing



WING ESPAÑOL


Spanish Wing

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
CEO031	0.097	0.065	86.38	3.40

Pirlán

Escalera

Stair Ends




PIRLAN ESCALERA

Stair End

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
S390	0.186	0.124	130	5.11

Retícula

Reticle




RETÍCULA

Reticle

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA511	0.102	0.068	88.79	3.49

Persianas


Blinds



PERSIANAS

Blinds


REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA315	0.193	0.129	150.62	5.92



PERSIANA CORTASOL

Sun Blinds

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
T237	0.521	0.350	374.62	14.75




PERSIANA DE GAS

Blinds for Gas Stations


REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA1735	0.119	0.079	98.00	3.85

Pisavidrios *Glass Holders*




PISAVIDRIO HEMBRA
Glass Holder (Female)

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
S343	0.175	0.117	127.98	5.03




PISAVIDRIO MACHO
Glass Holder (Male)

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
S344	0.094	0.063	68.92	2.71




PISAVIDRIO DOBLE (SEPARADOR DE 1/2" (9mm))
Glass Holder Double (1/2" spacing (9mm))

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA839	0.183	0.123	105.36	4.14




CANAL 3/8" x 1/2"
3/8" x 1/2" Channel

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
U068	0.080	0.053	66.67	2.62



CANAL 1/2" x 1/2"
1/2" x 1/2" Channel


REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
U074	0.088	0.059	73.07	2.87



PISAVIDRIO CUADRADO *Squared Glazing*


REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA414	0.218	0.146	136.74	5.38

Cortineros *Curtain Rods*




TUBO CORTINERO 1"
1" Curtain rod

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
T111	0.169	0.113	160.50	6.31



TUBO CORTINERO 3/4"
3/4" Curtain rod


REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
T112	0.123	0.082	117.37	4.62



TUBO CORTINERO 1/2"
1/2" Curtain rod


REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
T113	0.081	0.054	75.92	2.98

Esquineros *Cornerbacks*



ESQUINERO 1" CON ALETA
1" Cornerback with wing


REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
T281	0.244	0.164	199.1	7.83



ESQUINERO 1" CON DOBLE ALETA
1" Cornerback with double wing

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
T282	0.274	0.184	224.1	8.82


Mosquitero *Mosquito Net*



MOSQUITERO
Mosquito Net


REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA165	0.103	0.069	83.7	3.29

Enchapes *Veneer*



ENCHAPE PLANO
Flat Veneer


REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
F006	0.291	0.195	214.43	8.44



ENCHAPE CURVO
Curved Veneer


REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
F007	0.291	0.195	214.43	8.44

Pasamanos *Handrails*




PASAMANOS 2-1/2"
2-1/2" Handrail

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA736	1.221	0.820	492.52	19.39



PASAMANOS ANATOMICO
Anatomic Handrail


REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA737	1.001	0.672	509.5	20.05



PASAMANOS TOP CAP
Top Cap Handrail


REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
TOP001	0.800	0.538	389.15	15.32

Divisiones de Baño *Bathroom Divisions*




MARCO LATERAL
Side Frame

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA343	0.175	0.117	130.43	5.13




GUÍA INFERIOR VT
VT Bottom Rail

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA1768	0.304	0.204	218.2	8.59




SILLAR
Sill

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
S597	0.224	0.150	183.4	7.22




RIEL COLGANTE
Hanging Rail

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA346	0.450	0.302	326.61	12.85



RIEL COLGANTE VT
VT Hanging Rail

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA1769	0.879	0.590	331.77	13.06




"U" LIVIANA
Lightweight "U" Channel

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
S596	0.164	0.110	134.86	5.30

Riel de Closet — Divisiones de Oficina


Closet Railing

Office Divisions




RIEL DE CLOSET
Closet Hanging Rail

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
S391	0.462	0.310	262.26	10.32



SOPORTE CENTRAL
Center Post


REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA405	0.706	0.474	349.4	13.75



MEDIO SOPORTE CENTRAL
Half Center Post


REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EXA-A405	0.330	0.221	164.9	6.49

Zócalos *Skirting Boards*




ZÓCALO VIDRIO TEMPLADO
Tempered Glass Skirting Board

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
S001	2.727	1.832	528.99	20.82




TAPA ZÓCALO
Skirting Board Cover

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
S002	0.151	0.101	111.26	4.38




ZÓCALO PARA BARANDA
Skirting Board for Handrail

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
S003	3.116	2.093	467.9	18.42



ZÓCALO 100mm
100mm Skirting Board


REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
S351L	1.676	1.126	485.05	19.09



ZÓCALO 90mm
90mm Skirting Board


REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
S369	1.797	1.207	447.99	17.63

Disipador de Calor *Heat Sink*



"F" PARA VIDRIO TEMPLADO
"F" for Tempered Glass

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
S463	0.502	0.337	166.2	6.54




DISIPADOR DE CALOR
Heat Sink

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
DIS001	1.715	1.152	612.1	24.09

Perfiles de Exportación


Exporting Profiles

Perfiles Gruesos Thickened Profiles




TUBULAR 2" X 1"
2" x 1" Hollow Tube

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EU001	0.914	0.614	285.23	11.23




TUBULAR 1" X 1"
1" x 1" Hollow Tube

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EU002	0.405	0.272	189.95	7.47




TUBULAR 2" X 2"
2" x 2" Hollow Tube

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EU003	1.239	0.832	386.83	15.23




CANAL 2" X 1"
2" x 1" Channel

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EU004	0.617	0.414	197.3	7.67




TUBULAR 1" X 1"
1" x 1" Hollow Tube

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EU005	0.332	0.223	192.35	7.57




TUBULAR 3/4" X 3/4"
3/4" x 3/4" Hollow Tube

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EU006	0.281	0.188	139.8	5.50




TUBULAR 2" X 2"
2" x 2" Hollow Tube

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EU007	1.614	1.084	380.64	14.98




TUBULAR 2" X 2"
2" x 2" Hollow Tube

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EU008	0.840	0.564	393	15.47




TUBULAR 2-1/2" X 2-1/2"
2-1/2" x 2-1/2" Hollow Tube

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EU009	1.189	0.798	493	19.41



TUBULAR 2" X 1"
2" x 1" Hollow Tube

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EU010	0.623	0.418	291.4	11.47





TUBULAR 3" X 3"
3" x 3" Hollow Tube

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EU012	1.811	1.216	590.8	23.26

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EU011	0.567	0.381	184.4	7.26

TUBULAR 1" X 1"
1" x 1" Hollow Tube




TUBULAR 4" X 2"
4" x 2" Hollow Tube

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EU013	1.889	1.269	304.37	11.98


REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EU014	1.202	0.807	151.80	5.97

TUBULAR 2" X 1"
2" x 1" Hollow Tube




CANAL 1.25" x 0.75" x 0.093"
1.25" x 0.75" x 0.093" Channel

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EU015	0.416	0.279	134.34	5.28




TUBULAR 1.8" X 1.8" X 0.093"
1.8" x 1.8" x 0.093" Hollow Tube

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EU023	1.155	0.776	184.80	7.27




PANEL HORIZONTAL PARA CERCAS
Fence Horizontal Panel

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EU024	1.572	1.056	360.48	14.19




TUBULAR 1/2" x 1/2" x 0.062"
1/2" x 1/2" x 0.062" Hollow Tube

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EU030	0.195	0.131	50.80	2




Varilla 1/4"
1/4" Solid Rod

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EU031	0.088	0.059	19.95	0.78




TUBULAR REDONDO 13/16" x 0.098"
13/16" x 0.098" Round Hollow Tube

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EU032	0.396	0.266	65.34	2.57



TUBULAR REDONDO 13/16" x 0.062"
13/16" x 0.062" Round Hollow Tube

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
EU033	0.263	0.176	59.69	2.35




POSTE INTERNO PARA CERCA
Post Stiffner

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
WFS004	1.775	1.192	742.53	29.23


Perfiles de Cerramientos

Patio Enclosures




TUBULAR 3" X 3"
3" x 3" Hollow Tube

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
AS001	1.286	0.864	579.25	22.80




REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
AS002	0.498	0.334	361.82	14.24




TUBULAR 3" X 3"
3" x 3" Hollow Tube

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
AS003	1.789	1.202	590.31	23.24




--

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
AS004	0.683	0.458	492.96	19.40




CABEZAL 3"
3" Extruded Header

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
AS005	0.875	0.587	395.52	15.57




--

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
AS006	0.966	0.649	460.54	18.13




COLUMNA ABIERTA 2" X 1"
2" x 1" Flat Spine Grove (Open Back)

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
AS007	0.384	0.258	271.12	10.67




COLUMNA 2" X 2"
2" x 2" Flat Spine Grove

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
AS008	0.730	0.490	485.34	19.10




COLUMNA 2" X 3"
2" x 3" Flat Spine Grove

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
AS009	0.968	0.650	587.69	23.13




FASCIA 5-1/2"
5-1/2" Extruded Fascia

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
AS010	0.843	0.566	432.27	17.01




--

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
AS011	0.573	0.385	306.18	12.05




--

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
AS012	0.384	0.258	256.34	10.09




ANGULO 2" x 1"
Angle 2"x 1"

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
AS013	0.323	0.217	152.14	5.99




ANGULO 1" x 1"
Angle 1"x 1"

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
AS014	0.211	0.142	100.58	3.96




ANGULO 2" x 2"
Angle 2"x 2"

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
AS015	0.632	0.425	202.94	7.99




--

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
AS016	0.812	0.546	395.73	15.58




COLUMNA 3" x 2"
3" x 2" Flat Spine Groove

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
AS018	0.922	0.620	586.48	23.09




--

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
AS019	0.745	0.501	233.68	9.20




COLUMNA 4" X 2"
4" x 2" Flat Spine Groove

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
AS020	1.199	0.806	676.14	26.62




CONECTOR T
T-Connector

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
AS022	0.293	0.196	145.29	5.72




TUBULAR 5" x 2" x 0.072"
5"x 2"x 0.072" Hollow Tube

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
AS023	1.960	1.317	355.09	13.97




TUBULAR 4" x 0.118"
4"x 0.118" Hollow Tube

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
AS024	3.204	2.152	405.88	15.97




PATIO SECTION 5" x 2"
5"x 2" Patio Section

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
AS025	1.386	0.931	378.30	14.89




TUBULAR 4" x 1" x 0.062"
4"x 1"x 0.062" Patio Section

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
AS026	1.054	0.708	253.57	9.98




CANAL 1 1/8" x 7/8" x 0.050"
1 1/8"x 7/8"x 0.050" Channel

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
AS027	0.242	0.163	142.25	5.60




TUBULAR 3" x 1" x 0.062"
3"x 1"x 0.062" Hollow Tube

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
AS028	0.840	0.565	202.77	7.98



TUBULAR 3" x 2" x 0.089"
3" x 2" x 0.089" Hollow Tube

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
AS029	1.581	1.008	253.56	9.98



POSTE ESQUINERO
Corner Post

REF.	Peso / Weight		PER.	
	kg/m	lb/ft	mm	in
AS030	1.831	1.230	649.73	25.57

¿No Encuentras el **Perfil** que estás buscando?

*Can't find what you
are looking for?*



**Si el perfil que está
buscando no esta
en catálogo, lo
desarrollamos a
su medida.**

*If the profile you are looking for is not in
the catalog, we can develop it for you.*

EXTRUSORA DE ALUMINIO



+57 (318) 5328329 (Col)
+1 (954) 4782942 (USA)

Barranquilla, Colombia

WWW.EXAL.COM.CO